



MARCH LINEAR LIGHT BAR TRI-COLOUR 1200MM (4FT) 36W EMERGENCY

NET-43-11-32



3 Hour Emergency operation
 The integral Emergency Battery ensures the fitting stays on in the event of an emergency or power failure



Tri-Colour
 Choose your colour temperature (3000K, 4000K or 5700K) at the time of installation

Features & Benefits

- 3H Emergency function
- Multiple mounting options including wall mount, recessed, surface mount and suspension
- Selectable 3000K, 4000K or 5700K colour temperature
- Optional Straight and L Shape
- Non-Illuminated Corner Connectors for multiple shaped designs
- Push connector for quick and easy installation

Key Data

Power	36W
Luminous Flux	3700lm/3800lm/4000lm
Colour Temperature	3000K/4000K/5700K
IP Rating	IP40
IK Rating	IK06
Dimensions	1204 x 56 x 75mm
Warranty	5 Years (Registration Required)

Compatible Accessories

NET-43-11-40	Straight Link Connector for March Linear Light Bars
NET-43-11-42	L Shape Non-Illuminated Corner Connector for March Linear Light Bars
NET-43-11-44	Suspension Wire Kit for March Linear Light Bars
NET-43-11-46	Wall Mounting Kit for March Linear Light Bars
NET-43-11-48	Recessed Mounting Kit for March Linear Light Bars

NET LED Lighting


 Buckingham Business Park, 300 Anderson Road,
 Swavesey, Cambridge, CB24 4UQ

T: 01223 851505 | sales@netled.co.uk | www.netled.co.uk


ORDER BY 6PM
 FOR NEXT DAY DELIVERY

Technical Specifications

Input Voltage (AC)	220-240V
Power Factor	>0.9
Luminaire Efficacy	109lm/W
LED Type	SMD 2835
Driver Manufacturer	BOKE
Driver Output Voltage (DC)	33-42V
Total Circuit Power (W)	36W +/- 5W
Electrical Class	1
Colour Rendering	>80 CRI
Lamp Viewing Angle	120°
Dimmable	No
Flicker-Free	Yes
Operating Temp.	-20°C to +45°C
Lifespan LM80	50,000 Hours
UGR Rating	Less than 19
Weight	2.75Kg
Manufacturer	Sochii Lighting
Self Test	No
Housing Colour	Black
Housing Material	Aluminium
Diffuser Material	PC
Emergency Kit	1 Year Warranty
Emergency Operation	>3H



Other Options

Description	
NET-43-11-30	March Linear Light Bar Tri-Colour 1200mm (4ft) 36W Standard
NET-43-11-32	March Linear Light Bar Tri-Colour 1200mm (4ft) 36W Emergency
NET-43-11-34	March Linear Light Bar Tri-Colour 1200mm (4ft) 36W Self Test Emergency
NET-43-11-36	March Linear Light Bar Tri-Colour 1200mm (4ft) 36W Dimmable
NET-43-11-38	March Linear Light Bar Tri-Colour 1200mm (4ft) 36W Dimmable Emergency
NET-43-11-39	March Linear Light Bar Tri-Colour 1200mm (4ft) 36W Dimmable DALI Emergency

NET LED Lighting

Buckingham Business Park, 300 Anderson Road,
Swavesey, Cambridge, CB24 4UQ



ORDER BY 6PM
FOR NEXT DAY DELIVERY

NEW

MANUAL OR SELF TEST EMERGENCY SELECTABLE

Choose between manual emergency or self test emergency at the time of installation

Emergency options only

3K

4K

5.7K

SELECTABLE COLOUR TEMPERATURE

Choose your colour temperature
3000K, 4000K or 5700K

REAR OR END CABLE ENTRY

Create seamless end-to-end lighting designs

LOW GLARE RATED UGR<19

Reduce headaches and improve focus

DIMMABLE DRIVER

Customise lighting levels and reduce electricity consumption

Dimmable options only

PUSH CONNECTOR

Reduce installation time with easy-to-use push fit terminals

